

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (currently amended) A Garment ~~garment~~ for women, comprising a front piece (1) and a back piece (2), which together form a casing, in which at least four openings are included, ~~namely the at least four openings including~~ a neck opening (3), two armholes (4) and at least one lower opening (5), the front piece being composed of a top piece (10) and a bottom piece (11), as well as including a transverse, slit-like access opening, which is delimited by, ~~on one hand, i)~~ an upper edge (13) of the bottom piece (11), and, ~~on the other hand ii)~~ a lower edge (12) of the top piece (10), the bottom piece (11) being formed with a tab (14)[[,]] which is fastened on the an inside of the top piece (10) and which separates two recesses (19) for ~~the~~ a housing of breasts, ~~characterized in that wherein~~ the tab (14) has a tapered basic shape and is delimited by ~~arched~~ first limiting edges (17), the first limiting edges (17) being arched and ~~which transform~~ transforming into likewise arched second limiting edges (18), ~~which the second limiting edges (18) form~~ forming the upper edge (13) of the bottom piece (11), and which the second limiting

edges (18) generally ~~have~~ having an arc radius that is smaller than ~~the~~ an arc radius of the ~~tab~~ first limiting edges (17).

2. (currently amended) ~~Garment~~ The garment according to claim 1, ~~characterized in that~~ wherein an end of the tab (14) is fastened on the inside of the top piece (10) in a fastening point (15) located in ~~the~~ an immediate vicinity of a neckband (16).

3. (currently amended) ~~Garment~~ The garment according to claim 1, ~~characterized in that~~ wherein the top piece (10) is arranged to cover, with the lower edge portion thereof, the upper edge portion of the bottom piece (11).

4. (currently amended) ~~Garment~~ The garment according to claim 2, ~~characterized in that~~ wherein the top piece (10) is arranged to cover, with the lower edge portion thereof, the upper edge portion of the bottom piece (11).

5. (new) The garment according to claim 1, wherein the lower edge of the top piece at the slit-like access opening is configured to lift and expose a breast in one of the two recesses (19) in a first mode, and configured to lay pressed against an outside of the upper edge (13) of the bottom piece (11) in a second mode.

6. (new) A garment for women, comprising:

a casing, comprising a front piece (1) and a back piece (2), the casing having at least four openings including a neck opening (3), two armholes (4) and at least one lower opening (5),

the front piece comprising a top piece (10) and a bottom piece (11), the front piece having a transverse, slit-like access opening, the opening delimited by i) an upper edge (13) of the bottom piece (11), and by ii) a lower edge (12) of the top piece (10), and

the bottom piece (11) being formed with a tab (14) fastened on an inside of the top piece (10), the tab separating two recesses (19) for the housing of breasts,

wherein the tab (14) has a tapered shape delimited by first limiting edges (17),

wherein the first limiting edges (17) are arched and transform, at a bottom of the first limiting edges (17), into second limiting edges (18), and

wherein the second limiting edges form the upper edge (13) of the bottom piece (11) and are arched, an arc radius of the second limiting edges (18) being smaller than an arc radius of the first limiting edges (17).

7. (new) The garment according to claim 6, wherein the top piece further comprises a neckband (16) at a top of the top piece, and an end of the tab (14) is fastened on the inside of

the top piece (10) at a fastening point (15) in an immediate vicinity of a neckband (16).

8. (new) The garment according to claim 6, wherein the lower edge portion of the top piece (10) is arranged to cover the upper edge portion of the bottom piece (11).

9. (new) The garment according to claim 7, wherein the lower edge portion of the top piece (10) is arranged to cover the upper edge portion of the bottom piece (11).

10. (new) The garment according to claim 6, wherein the lower edge of the top piece at the slit-like access opening is configured to lift and expose a breast in one of the two recesses (19) in a first mode, and configured to lay pressed against an outside of the upper edge (13) of the bottom piece (11) in a second mode.